

INDEX MAPS.
T. 31N, R. 5 E. 2nd Mer.

Meanders 121

| | | | | | | | | | | | | |
|----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|----|
| 99 | 6 | 120 | 5 | 114 | 4 | 110 | 3 | 106 | 2 | 103 | 1 | 97 |
| | 120 | | 120 | | 114 | | 110 | | 106 | | 103 | |
| 98 | 7 | 119 | 8 | 114 | 9 | 110 | 10 | 106 | 11 | 102 | 12 | 97 |
| | 119 | | 118 | | 113 | | 109 | | 105 | | 101 | |
| 98 | 18 | 118 | 17 | 113 | 16 | 109 | 15 | 105 | 14 | 101 | 13 | 96 |
| | 118 | | 117 | | 113 | | 109 | | 105 | | 101 | |
| 98 | 19 | 117 | 20 | 112 | 21 | 108 | 22 | 105 | 23 | 101 | 24 | 96 |
| | 116 | | 116 | | 112 | | 108 | | 104 | | 100 | |
| 98 | 30 | 116 | 29 | 111 | 28 | 108 | 27 | 104 | 26 | 100 | 25 | 95 |
| | 115 | | 115 | | 111 | | 107 | | 103 | | 100 | |
| 97 | 31 | 115 | 32 | 111 | 33 | 107 | 34 | 103 | 35 | 99 | 36 | 95 |
| | 95 | | 94 | | 94 | | 93 | | 93 | | 93 | |

T. 32N, R. 5 E. 2nd Mer.

Meanders 159

| | | | | | | | | | | | | |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|----------------|----------------|-----|
| | | 133 | | 132 | | 132 | | 131 | | 131 | | 130 |
| 133 | 6 | 159 | 5 | | 4 | 162 | 3 | | 2 | 161 | 1 | 128 |
| | 158 | | 158 | | | | | | 149 | 161 | 161 | |
| | | | | | | | | | | 161 | | |
| 134 | 7 | 157 | 8 | 151 | 9 | 147 | 10 | 143 | 11 | 139 | 12 | 128 |
| | 157 | | 156 | | 150 | | 146 | | 142 | | 138 | |
| 134 | 18 | 156 | 17 | 150 | 16 | 146 | 15 | 142 | 14 | 138 | 13 | 129 |
| | 155 | | 155 | | 150 | | 145 | | 141 | | 138 | |
| 135 | 19 | 154 | 20 | 149 | 21 | 145 | 22 | 141 | 23 | 137 | 24 | 129 |
| | 154 | | 153 | | 149 | | 145 | | 140 | | 137 | |
| 135 | 30 | 153 | 29 | 148 | 28 | 144 | 27 | 140 | 26 | 136 | 25 | 129 |
| | 152 | | 152 | | 148 | | 144 | | 140 | | 136 | |
| 135 | 31 | 151 | 32 | 147 | 33 | 143 | 34 | 139 | 35 | 136 | 36 | 130 |
| | 127 | | 127 | | 126 | | 126 | | 125 | | 125 | |

☞ The figures on the lines refer to the page.

Township N. 31. North of Range N. 5 East 2nd Mer. Indiana. 93

South Boundary.

- West On South Boundary of Sec 30. var. 540 E.
 24.81 A W Oak 20 in. diam.
 40 00 Set a q. Sec post from which
 an Elm 10 in. diam. bears N 49 W 29 links dist &
 a Do 12 " " " N 42 E 58 " "
 51 17 An Elm 12 " "
 80 00 Set a Post-Corner to Sec. 35 & 36 from which
 a B. Walnut 14 in. diam. bears N 63 E 212 links dist &
 W. Oak 18 " " " N 61 W 91 " "
 Land level & 2nd rate. Thinly timbered with Oak.
 Ash & Elm. Undergrowth Hickory, Ironwood & Ash.

- West On South Boundary of Sec 35.
 10 01 A W Oak 10 in. diam.
 30 00 Enter West Prairie
 40 00 Set a q. Sec post in Prairie. from which
 a W Oak 12 in. diam. bears N 89 E 371 links dist &
 a Linn 14 " " " N 88 W 22.90 " "
 50 00 Leave West Prairie
 50 00 Set a Post-Corner to Sec. 34 & 35 from which
 a W. Oak 8 in. diam. bears N 81 E 13 links dist &
 a W. Oak 12 " " " N 62 W 30 " "
 Land level & 2nd rate thinly timbered with Oak.

- West On South Boundary of Sec 34
 40 00 Set a q. Sec. post. from which
 * a W. Oak 10 in. diam. bears N 57 E 272 links dist &
 a Do 18 " " " N 57 E 312 " "
 40 00 A Stream 4 links wide. Course N E.
 45 50 Another Stream 6 links wide. Course N E.
 50 00 Enter West Prairie } in West Prairie
 50 00 Set a Post-Corner to Sec. 33 & 34 from which
 a W. Oak 12 in. diam. bears N 33 E 388 links dist &
 a Do 18 " " " N. 2 1/2 W 45 " "
 Land &c same as before.

T 31 N. R. 5 E 9th Mer. Indiana

*Note Opposite 10 chains, or there about, South from the gr. Sec Corner. is a small Lake. Should think half a mile in circumference

- Note On South Boundary of Sec 33.
 5. 57 Intersect the East side of a Lake. Set a Post from which
 a Varnae 6 in. diam. bears S. 52 E. 7.63 links dist. &
 a W Oak 12 " " " N 62 E 9.48 " "
 Offset North 500
 " West 1300
 " South 500 Reduced offset and at
 21. 57 fell into line on the West side of Lake.
 Set a Post from which
 a Burr Oak 10 in. diam. bears N 38 W 2.22 links dist. &
 a Lynn 10 " " " S. 70 W 2.33 " "
 28. 78 A Hickory 8 " "
 40. 00 Set a gr. Sec post. from which
 a Hickory 8 in. diam. bears N 65 E 18 links dist. &
 a Buck 18 " " " N 30 W 88 " "
 57. 57 A W Oak 15 " "
 64. 00 A Muddy Stream 8 links wide. Course N E
 80. 00 Set a Post Corner to Sec. 32 & 33 from which
 a W Oak 10 in. diam. bears N 4 W 8 links dist. &
 a W Oak 10 " " " N. 55 E 40 " "
 Land level & 2nd note West of Lake. Timber. Oak.
 Ash. Lynn. &c. Thick Undergrowth of Aspens. Ironwood.
 Hazle &c. There is a Lake just North of line, should
 think about 1. mile & a half in circumference.

- Note On South Boundary of Sec 32.
 07 57 Enter Marsh.
 26 07 Leave same.
 27 23 A Hickory 10 in. diam.
 40. 00 Set a gr. Sec post. from which an
 Ironwood 10 in. diam. bears N 55 W 27 links dist. &
 a Buck 8 " " " N 30 E 25 " "

T 31 N. P. 5 E. 2nd Mer Indiana

95

58.71 A W. Wood 30 in. diam.
 80.00 Set a Post Corner to Sec. 31 & 32. from which
 an Ironwood 6 in. diam. bears N 35 W 5 links dist. &
 a Buck 12 " " " N 35 E 55 " "
 Land level & 1st rate. Timber. Oak. Ash
 Elm. Lynn Sugar. & Undergrowth

West On South Boundary of Sec. 31.
 23.71 A Buck 8 in. diam.
 40.00 Set a q. the post from which
 a Sugar 20 in. diam. bears N 87 E 30 links dist. &
 a D 15 " " " N 17 W 31 " "
 50.23 A Sugar 10 " "
 62.41 Intersect the West Boundary 3 chains & 78 links North
 of Temp. Town Corner. — Set a Post from which
 a Buck 10 in. diam. bears N 43 W 23 links dist. &
 a D 10 " " " S 43 E 33 " "
 Land gently rolling & 1st rate. Timber. Sugar. Ash.
 Buck. Elm. Lynn. White Wood &c. Undergrowth
 Ironwood. Buck & Prickly Ash.

East Boundary

North On East Boundary of Sec. 30. P Var 6. N. E.
 25.71 A W Oak 18 in. diam.
 40.00 Set a q. the post from which
 a W Ash 10 in. diam. bears S 17 W 40 links dist. &
 an Elm 15 " " " N 83 W 1 20 " "
 79.05 A B Ash 10 in. diam. bears
 51.00 Set a Post Corner to Sec. 25 & 30 from which
 a B. Ash 8 in. diam. bears S 58 W 70 links dist. &
 a W Oak 20 " " " N 63 W 141 " "
 Land level & 1st rate. Timber mostly Oak.

North On East Boundary of Sec. 25.
 15.55 To South Margin of Lake.
 Set a Post from which

T. & A. B. S. E. Indiana.

Maple 16 in. diam. bears S 82 E 57 links dist. &
a W Oak 12 in. " " S 55 W 38 " "

West 15.00
Offset } North 28.75- ga the Corner in Lake.
East 15.00 Reduced offset

44 30 Tell into line on the North side of Lake.

a W Oak 10 in. diam. is Corner on North Margin
of the Lake.

54.40 A W. Oak 30 in. diam.

78.00 Left Oak opening & Enter heavy timbered Land.

80.00 Set a Post Corner to Sec. 24 & 25 from which
a W. Ash 9 in. diam. bears S 47 W 119 links dist. &
a Beech 9 " " " N. 9 W 22 " "
Land & Timber same

North On East Boundary of Sec 24

18 18 A W. Wood 30 in. diam.

24 00 Enter swamp.

37 00 Lane same

40 00 Set a ga. Sec post. from which
a B. Ash 8 in. diam. bears S. 13 W 67 links dist. &
a Do 6 " " " N. 13 W 24 " "

59 30 A Red Oak 18 in. diam.

80 00 Set a Post. Cor. to Sec. 13 & 24 from which
a Buckeye 10 in. diam. bears S 13 W 35 links dist. &
a B. Ash 10 " " " N. 12 W 25 " "
Land 1st rate. Timber. Oak Ash Elm. Lymn. Sugar.

North On East Boundary of Sec 13

24 37 A Sugar 20 in. diam.

40.00 Set a ga. Sec post. from which
a Ironwood 6 in. diam. bears S 18 W 23 links dist. and
a Sugar 20 " " " N 32 1/2 W 37 " "

58.19 A Beech 10 " "

80 00 Set a ga. Sec post. Corner of 12 & 13. from which
a W Oak 10 in. diam. bears N 52 W 47 links dist. &

Comp.

T. 31. N. R. 5 E 2nd Mer. Indiana

97

W. Oak 10 in. diam. bears S. 28 N. 53 links dist
Land &c same.

North On East Boundary of Sec. 12.

22, 07 A White Wood 18 in. diam.

35, 00 Enter Millen Swamp.

41, 00 Set a q. Sec. post from which

a W. Oak 10 in. diam. bears N. 11 W. 10 22 links dist &
an Aspin 18 " " " South 4.9.3 " "

41, 25 A Stream 6 link wide. Course West

50, 00 Leave the Swamp

52, 75 A Sugar 24 in. diam.

50 00 Set a Post Corner to Sec. 1 & 12. from which

an Ironwood 5 in. diam. bears N. 50 W. 37 links dist &
a W. Oak 8 " " " S. 27 W 17 " "

Land & Timber same.

North On East Boundary of Sec. 1.

24, 30 An Elm 30 in. diam.

40 00 Set a q. Sec. post from which

a Sugar 10 in. diam. bears S. 62 W. 10 links dist &
a Buck 9 " " " N 17 W. 29 " "

50, 23 An Elm 18 in. diam.

50, 00 Set a Temp^y Town Corner

Land & Timber same as before.

Oct 21st 1833

West Boundary ran E. 10 E

North On East Boundary of Sec. 36. T. 31. N. R. 4 E.

21, 00 A Lynn 30 in. diam.

40, 00 Set a q. Sec. post from which

a Birch 6 in. diam. bears S 53 W 17 links dist &
an Elm 10 " " " N 42 W 20 " "

52, 37 An Aspin 7 in. diam.

50, 00 Set a Post Corner to Sec. 25 & 36. from which

a Buck 20 in. diam. bears S 70 W. 4 links dist &

T 31 N. R 5 E. 9th Mer. Indians

Buck 6 in. diam. bears N 20 W 21 links dist.
 Land level & rich. Timber. Sugar. Buck. Ash.
 Elm Lym. &c. Underg^t much the same.

North On East Boundary of Sec 25. T 31. N. R 4 E.
 23. 52 A Red Oak 12 in. diam.

40. 00 Set a gp. the post. from which
 an Ironwood 6 in. diam. bears S 18 W 13 links dist. &

52 79 a ^{Do} 6 in. diam. " N. 18 W 20 " "
 * a Red Oak 14 in. diam. " " "
 Land gently rolling. 1st rate. Timber as before.

* 5000. Set a Post cor. to Sec. 24 & 25
 A Buck 8 in. diam. bears S 78 W 10 links
 " 8 " " " " "

North On East Boundary of Sec 24 T 31 N. R 4 E.

18. 47 An Elm 20 in. diam.

40. 00 Set a gp. the post from which

a Buck 24 in. diam. bears N 30 W 29 links dist. &

a Hickory 6 " " " S 21 W 35 " "

52 08 A White Wood 20 in. diam.

80. 00 Set a Post Corner to Sec. 13 & 24 from which

a Sugar 14 in. diam. bears N 67 W 39 links dist. &

a Lym 6 " " " S 36 W 12 " "

Land &c same as last mile.

North On East Boundary of Sec 13. T 31 N. R 4 W

19. 97 A White Wood 24 in. diam.

40. 00 Set a gp. the post. from which

an Ironwood 6 in. diam. bears N 12 W 14 links dist. &

a Red Oak 12 " " " S. 20 W 30 " "

13. 00 A Brook 4 links wide. Course N E

55. 00 A Buck 24 in. diam.

79. 00 A Stream 20 links wide. Course N. W.

80. 00 Set a Post Corner to Sec. 12 & 13 from which

a Maple 8 in. diam. bears N 70 W 1.20 links dist. &

an Elm 18 " " " N 31 W 1.07 " "

Land & Timber same as last mile.

North On East Boundary of Sec 12. T 31 N. R 4 E.

99

T. 31. N. R. 5 E. 2nd Mer. Indiana

- 19, 81 A Buck 18 in. diam.
 40.00 Set a q^r Sec post. from which
 a Sugar 18 in. diam. bears S 23 W 39 links dist &
 a W Oak 20 " " " N. 54 W. 6 " "
 43.50 An Indian Trail. Course N W
 57, 19 A Buck 18 in. diam.
 80 00 Set a post Corner of Sec. 1 & 2 from which
 a Buck 10 in. diam. bears S 29 W. 7 links dist &
 a W. Wood 18 " " " N. 48 W. 35 " "
 Land &c same

- North On East Boundary of Sec. 1. T 31 N. R. 4 E
 26.71 A Maple 18 in. diam.
 40.00 Set a q^r Sec post from which
 a W Oak 18 in. diam. bears S 02 W. 19 links dist &
 a W Oak 20 " " " N. 47 W. 25 " "
 50 50 A Brook 6 links wide. Course S W
 65 72 A Buck 18 in. diam.
 80 00 Set a Temp^o Post. for Town Corner
 Land Rolling. Soil 1st rate. Timber same.
 Oct 5 19th 1833

Surveyed by
 Ephraim Tibley D. Comp^t

- Sub-divisions Var. 600' E.
- North Between Sec. 35 & 36. June 24th 1834
 27 80 A Walnut 20 in. diam.
 40 00 Set a q^r Sec post. from which
 an Ash 20 in. diam. bears S 22 E. 25 links dist &
 a D 12 " " " N. 28 W. 33 " "
 49 20 Sugar 14 " "
 80.50 Set a Post Corner to Sec. 25 26 35 & 36 from which
 a W. Oak 15 in. diam. bears S 88 E 6 links dist &
 an Elm 15 " " " N. 57 W. 42 " "
 Land level & good 2nd rate. Timber. Oak. Ash. Elm.
 Poplar. Sugar. Buck & Hickory.

T³¹ N. R 5 E 2nd Mer Indiana

East On Random between Sec. 25 & 30
 80.10 Intersect E. Boundary 70 links North of the Post,
 Timber same as last mile.

West Corrected between Sec. 25 & 30
 14.00 A W Oak 30 in. diam.
 40.05 Set a p. the post at a var. dist. from which
 an Ironwood 12 in. diam. bears S 33 E 10 links dist. &
 a Buck 40 " " " N 3 W 50 " "
 69.70 An O Oak 40 " "
 80.10 To the Corner.

North Between Sec. 25 & 26
 26.65 A W Oak 30 in. diam.
 40.07 Set a p. the post. from which
 a Hickory 11 in. diam. bears S 69 W 10 links dist. &
 a Poplar 14 " " " East 35 links "
 50.20 A Brook 10 links wide. Course S W.
 80.00 Set a Post Corner to Sec. 23 24 25 & 26. from which
 an O Oak 30 in. diam. bears N. 79 W 10 links dist. &
 a Poplar 30 " " " S. 80 E 33 " "
 Land level and good granato. Timber. Oak. Poplar. Elm.
 Buck. Sugar. Walnut & Hickory &c. June 24th 1834.

East. On Random between Sec. 25 & 24.
 79.71 Intersect N & S line or E. Boundary. 157 links North
 of the Post
 Land 2nd rate. Timber as before.

West Corrected between Sec. 25 & 24
 15.37 An Ironwood 10 in. diam.
 39.85 Set a p. the post. at a var. dist. from which
 an Elm 22 in. diam. bears S 62 W 9 links dist. &
 a O 20 " " " S 69 E 13 " "
 50.50 An Ash 15 " "
 79.71 To the Corner.

T³1 N. R. 5 E 2nd Mer. Indiana, 101

North Between Sec. 23 & 24.

21 07 A Poplar 30 in. diam.

40.07 Set a 92 Sec. post from which
a W Oak 12 in. diam. bears N 12 W 55 links dis. &
a Hickory 13 " " " S 14 W 40 " "

55.90 A Buck 24 " "

80 07 Set a Post Corner to Sec. 13 14 23 & 24 from which
a Buck 20 in. diam. bears N 43 E 24 links dis. &
a P. 18 " " " S 1 W 20 " "
Land level & rich. Timber. Buck. Poplar. Oak.
Ash & Elm.

East On Random between 13 & 24.

79 40 Intersect N & S line or E. Boundary 16 lks. S. of Post.
Land rolling and good 2nd rate. Timber. Buck
Oak. Elm. Poplar. Hickory. &c. Undergrowth.
Dogwood. Ironwood. &c.

West Corrected between Sec. 13 & 24.

19.34 A Buck 11 in. diam.

39.70 A W. Ash 40 in. diam. is Corner of 92 Sec.

63 80 a Buck 28 " "

79 40 to Sec. Corner.

North Between Sec. 13 & 14.

40.07 Set a 92 Sec. post. from which
a Buck 10 in. diam. bears S 28 E 10 links dis. &
a Cherry 20 " " " N 24 W 31 " "

54.90 A Buck 24 " "

80.07 Set a Post Corner to Sec. 11. 12 13 & 14 from which
a Buck 19 in. diam. bears N 81 E 14 links dis. &
an Elm 20 " " " S 57 W 40 " "
Land level & 2nd rate Timber similar to last mile

East On Random between Sec. 12 & 13.

43 55 A Buck 10 links wide Course North

T 31 N. R 5 E 2nd Mer Indiana.

45.00 Enter Marshy Prairie
 74.50 Left Same
 79.65 Intersect N & S line 20 links South of the Post.
 Land on the West $\frac{1}{2}$ mile good. East $\frac{1}{2}$ bad.

West Corrected between Sec. 12 & 13.
 39 82 $\frac{1}{2}$ Set a gr the post at aver. dist. from which
 a Linn 12 in. diam. bears N 11 W 3 links dist. &
 an Elm 14 " " " S 51 E 32 " "
 59.65 A Buck 20 " "
 79.65 To the Corner.

North Between Sec. 11 & 12.
 17.80 A Poplar 50 in. diam.
 46.77 Set a gr the post from which a
 Buckeye 12 in. diam. bears S 57 E 17 links dist. &
 an B Oak 14 " " " S 79 W 31 " "
 21 30 A Sugar 28 " "
 80.00 Set a Post Corner to Sec. 1. 2. 11 & 12. from which
 a W. Oak 28 in. diam. bears N 12 E 35 links dist. &
 an Ironwood 10 in. " " S 40 W 22 " "
 Land somewhat rolling. some swamps. Soil.
 poor 2nd rate.

East On Random between Sec. 1 & 12.
 12 50 A Brook 12 links wide. Course N W.
 70 50 Do 25 " " " N. W.
 80 38 Intersect East Boundary at Post.
 Very Brushy & ragged.

West Corrected between Sec. 1 & 12.
 21 80 A W. Oak 32 in. diam.
 40 19 Set a gr the post at aver. dist. from which
 a W Oak 10 in. diam. bears S 5 E 20 links dist. &
 a Do 15 " " " N 14 E 25 " "
 50 70 A W Oak 30 " "

T. 31 N. R. 5 E. 2nd Mer Indiana

103

80 38 To Section Corner

North Between Sec 1 & 2.

28.50 A Brook 30 links wide Course N.W.

40.00 Set a q. Sec. post. from which

a W. Oak 22 in. diam. bears S. 2 W 50 links dist. &

a Do 10 " " " N 15 W 25 " "

53 10 A W Oak 12 in. diam.

68 50 A Brook 20 links wide. Course N.W.

72 50 A Do 30 " " " N.W.

91 20 Intersect the North Boundary 2. 72 West of q. Sec. Cor. where set a Post Cor. to Sec. 1 & 2 from which

a W. Oak 22 in. diam. bears N. 78 E 20 links dist. &

a Do 23 " " " N. 13 E 23 " "

The Creeks are very mucky making strips of Wet Prairie hedge with Willow & Thorn.

North Between Sec. 34 & 35

40.00 Set a q. Sec. post. from which

a W. Oak 20 in. diam. bears N 84 E. 253 links dist. &

a Gum 12 " " " North 4.40 " "

54.00 A Gum 24 " "

80.00 Set a Post Corner to Sec. 20, 27, 34 & 35 from which

a Poplar 20 in. diam. bears N 35 W 45 links dist. &

an Aspin 24 in. " " S. 15 W 48 " "

Land poor 2nd rate timber. Oak Hickory. Hazel and Sassafras.

East On Random between Sec. 20 & 35.

79.75 Intersect N & S line 70 links North of the Post.

Land 2nd rate. West 1/2 mile good. East 1/2 swampy. At. and North of the 1/2 mile post. and from 10 to 15 chains from the line is a small Lake.

West Connected between Sec. 20 & 35.

39 87 1/2 Set a q. Sec. post at avar. dist. from which

T³¹ N. R 5 E 2nd Mer. Indiana

a Hickory 8 in. diam. bears S 73 W 34 links dist 8
 a W Oak 30 " " " S 76 E 30 " "
 62.00 An R Oak 30 " "
 79.75 To Sec Corner

North Between Sections 20 & 27.
 8.00 A W Oak 30 in. diam.
 11.42 Intersect the South side of Lake.
 Set a Post from which
 a Maple 12 in. diam. bears N 82 E 29 links dist 8
 a O 10 " " " S 41 W 30 " "
 34.20 Leave Lake by offset to East Set a Post from which
 an R Oak 12 in. diam. bears N 13 W 7 links dist 8
 a Maple 10 " " " S 63 E 30 " "
 40.00 Set a 2nd Sec post from which
 a W Oak 22 in. diam. bears S 65 E 20 links dist 8
 a O 12 " " " N 84 W 15 " "
 55.37 An R Oak 30 " "
 80.00 Set a Post Corner to Sec. 22, 23, 26 & 27 from which
 a W Oak 19 in. diam. bears S 67 E 15 links dist 8
 a Shaparas 5 " " " S 80 W 10 " "
 Land & Timber same as last mile.

East On Random between Sec. 23 & 26.
 74.50 Intersect N & S line 170 links North of the Post
 Land 2nd rate Timber Oak & Hickory. Undergth
 Ironwood. Huckle & Shaparas.

West Corrected between Sec. 23 & 26.
 21.00 A W Oak 30 in. diam.
 39.75 Set a 2nd Sec post at aver. dist from which
 an Elm 12 in. diam. bears N 50 W 7 links dist 8
 a Poplar 12 " " " N 53 E 18 " "
 63.27 An R Oak 48 in. diam.
 79.50 To Sec Corner.

June 25th 1834

T31 N. R. 5. E. 2nd Mer. Indiana

105

North Between Secs 22 & 23

21.38 A W. Oak 20 in. diam.

40.00 Set a 4th Sec post from which
a W. Oak 30 in. diam. bears S 85 E 17 links dist &
a W. Oak 30 " " " S 17 W 32 " "

50.37 An Ash 11 " "

80.00 Set a Post-Corner to Secs 14 15 22 & 23 from which
a Maple 24 in. diam. bears N. 74 E 23 links dist &
an Ash 10 " " " S 10 E 6 " "
Wet flat Land. poor soil.

East On Random between Secs 14 & 23.

79.50 Intersect N & S line 300 North of the Post.

Land good 2nd rate. Timber. Buck Oak. Ash.
Elm. Poplar & Undergrowth. Spice. Sugar. Ironwood.
Dogwood. &c.

West Corrected between Secs 14 & 23.

18.00 A Huckleberry 12 in. diam.

39.75 Set a 4th Sec post from which
a Buck 24 in. diam. bears S 51 W 28 links dist &
a " 10 " " " S 79 E 35 " "

59.50 A Buck 12 " "

79.50 To the Corner.

North Between Secs 14 & 15.

24.80 A Buck 12 in. diam.

116.00 A Poplar 20 " " is Corner of 4th Sec.

53.30 An Ash 14 in. diam.

80.00 Set a Post-Corner to Secs 10 11 14 & 15 from which
a W. Oak 14 in. diam. bears N 72 E 2 links dist &
a Sugar 12 " " " S 75 W 25 " "
Land flat inclining to West.

East On Random between Secs 11 & 14.

79.50 Intersect N & S line 300 links North of the Post.

T³¹. N. R. S. E. 2nd Mer. Indiana.

Land flat timber. Buck. Poplar. Elm. Maple.
Undergrowth Ironwood. Hickory & Water Buck.

West Corrected between Sec^s 11 & 14.
19.50 A Buck 20 in. diam.
39.75 Set a 2nd Sec post at over disty from which
a Buck 12 in. diam. bears N 58 E 24 links disty &
a Hickory 12 " " " S 89 W 13 " "
58.05 A W Oak 40 " "
79.50 To the Corner.

North Between Sec^s 10 & 11
14.20 A W Oak 24 in. diam.
40.00 Set a 2nd Sec post from which
an Elm 14 in. diam. bears S 77 W 7 links disty &
a Do 10 " " " N 38 E 11 " "
47.95 An R Oak 30 in. diam.
80.00 Set a Post Corner to Sec^s 2, 3, 10 & 11. from which
a Sugar 30 in. diam. bears N 61 E 7 links disty & an
Ash 15 " " " S 61 W 9 " "
Land & Timber same.

East On Random between Sec^s 2 & 11.
79.80 Intersect N. & S line 2. 20 links South of the Post
Land & Timber same

West Corrected between Sec^s 2 & 11.
19.50 A Poplar 24 in. diam.
39.90 Set a 2nd Sec post. at over disty from which
a Sugar 14 in. diam. bears S 74 E 21 links disty &
a Do 15 " " " N 15 W 10 " "
80.15 A Poplar 30 " "
79.80 To the Corner.

North Between Sec^s 2 & 3,
15.23 An R Oak 48 in. diam.

40. 00 Set a q. the post from which
 a Buck 15 in. diam. bears S 2 W 20 links dist. &
 a Do 10 " " " N 31 E 20 " "
- 53 10 An Elm 12 " "
- 86 50 Intersect the North Line of Correction where set a Post
 Corner of Sec. 2 & 3. from which
 a Poplar 20 in. diam. bears N 20 W 7 links dist. &
 an Elm 12 " " " S 14 E 34 " "
 Land rolling. Timber Buck & Ash. Thick Under-
 growth of Pinewood. Dogwood. & Sugar.
- June 26th 1834

North Between Sec. 33 & 34

40. 00 Set a q. the post. from which
 a W. Oak 20 in. diam. bears N 45 W 23 links dist. &
 a Do 15 " " " N. 33 E 58 " "
56. 40 Ash 24 in. diam.
- 80 00 Set a Post Corner to Sec. 27 28 33 & 34 from which
 a Buck 14 in. diam. bears N 27 E 43 links dist. &
 a Do 12 " " " S 40 W 34 " "
 North 1/2 mile inclining to Barrens. North 1/2 timbered
 with Buck. Oak Ash. Poplar. Hickory. &c.

East On Random between Sec. 27 & 34

50. 00 A Brook 12 links wide Course N. W.
- 80 00 Intersect N & S line at Post.
 West 1/2 mile Timbered. East 1/2 Barrens & Prairie.
 Willow.

West Corrected between Sec. 27 & 34

- 1000 Set a q. the post. from which
 an W Oak 15 in. diam. bears N 78 W 14 links dist. &
 a Buck 12 " " " N 86 E 26 " "
57. 92 An Ash 15 " "
80. 00 To the Corner,

T 31 N. R 5 E 2nd Mer. Indiana.

North Between Secs: 27 & 28
 23 10 A Poplar 28 in. diam.
 40 00 Set a q. Sec post from which
 a Spruce 28 in. diam. bears N 13 E 11 links dist &
 an Elm 12 " " " S 11 W 22 " "
 52 90 A Sugar 24 " "
 80 00 Set a Post Corner to Secs: 21 22 27 & 28 from which
 an H Oak 30 in. diam. bears North 29 links dist &
 a W Oak 20 " " " S 29 E 10 " "
 Land good 2nd rate - no Undergrowth.

East On Random between Secs: 22 & 27.
 57.30 A Brook 18 links wide. Course N W
 80.50 Intersect the North and S line 90 links N. of the Post
 West 1/2 mile Wet Prairie. & Timber land.
 East 1/2 " 2nd rate.

West Corrected between Secs: 22 & 27.
 20.70 An H Oak 20 in. diam.
 40 25 Set a q. Sec post at over dist from which
 an Elm 20 in. diam. bears N. 31 E 23 links dist &
 a D 8 " " " S 25 W 19 " "
 61.81 An Ash 9 " "
 80 50 to Sec Corner.

North Between Secs: 21 & 22
 14.20 A Brook 12 links wide Course West.
 26 11 A Buck 30 in. diam.
 40.00 Set a q. Sec post from which
 a Buck 12 in. diam. bears N 69 E 15 links dist &
 a D 8 " " " S 5 W 27 " "
 56.50 A W Oak 15 " "
 80.00 Set a Post Corner to Secs: 15 16 21 & 22 from which
 a Spruce 40 in. diam. bears N 3 W 16 links dist &
 an Ash 14 " " " S 32 E 6 " "
 Land level & 2nd rate. / Timber as before.

East On Random between Secs 15 & 22,
 50, 60 Intersect N & S line 50 links North of the Post-
 West half mile good. East 1/2 mer Prairie & Willon

West Corrected between Secs 15 & 22.
 40, 30 Set a g. Sec post at arer. dist from which
 a Lym 12 in. diam. bears N 85 W 33 links dist &
 a Buck 20 " " " N 52 E 25 " "
 04, 55 A W Oak 36 " "
 50, 00 To Sec Corner, June 27th 1834

North Between Secs 15 & 10.
 19 40 An Ash 15 in. diam.
 40, 00 Set a g. Sec post from which
 a Water Buck 9 in. diam. bears S 6 W 9 links dist &
 a Do " 9 " " " S 45 E 13 " "
 58 62 A Poplar 40 " "
 50, 00 Set a Post Corner to Secs 9, 10, 15 & 16. from which
 a Buck 12 in. diam. bears S 89 W 12 links dist &
 a Do 26 " " " S 50 E 48 " "
 Land 2nd rate, Timber. Buck. Ash. Sugar. Oak.
 Elm. & Hickory.

East On Random between Secs 10 & 15
 31, 00 A Brook 10 links wide. Course N W.
 50, 70 Intersect N & S line 32 links South of the Post.
 Land rather inclining to West.

West Corrected between Secs 10 & 15.
 21 25 A Buck 10 in. diam.
 40, 35 Set a g. Sec post at arer. dist from which
 a Yellow Willon 6 in. diam. bears N 35 W 10 links dist &
 a " Do 10 " " " S 6 E 27 " "
 04 70 An Ironwood 10 " "
 50 70 To Sec Corner,

T31 N. P. 5 E 2nd Mer. Indiana.

North Between Secs 9 & 10.
 20.70 A Poplar 30 in. diam.
 40.00 Set a q. Sec post from which a
 Buck 20 in. diam. bears S 24 W 40 links dist &
 a Dr 10 " " " N 13 E. 10 " "
 45.10 A Brook 10 links wide. Course N E
 64.79 A Poplar 30 in. diam.
 80.00 Set a Post Corner to Secs 3, 4, 9 & 10. from which
 a W. Oak 12 in. diam. bears N 83 W 20 links dist &
 a Dr 12 " " " N. 21 E. 14 " "
 Land & Timber same.

East On Range between Secs 3 & 10.
 14.50 A Brook 12 links wide. Course N
 38.10 Dr 15 " " " N W
 80.10 Intersect N S line 38 links South of the Post.
 Land & Timber same.

West Connected between Secs 3 & 10
 20.55 A Poplar 13 in. diam.
 40.05 Set a q. Sec post at over dist from which
 a Spruce 20 in. diam. bears S 30 W 40 links dist &
 an Ash 10 " " " N 84 W 34 " "
 69.10 A Sycamore 12 in. diam.
 80.10 To Sec Corner.

North Between Secs 3 & 4.
 20.94 A W. Oak 24 in. diam.
 40.00 Set a q. Sec post from which
 a Buck 18 in. diam. bears S 83 E 20 links dist &
 a Dr 20 " " " S 37 W 30 " "
 55.50 A Poplar 01 " "
 80.14 Intersect the North Boundary 3, 24 links West of q.
 Sec Corner; where set a Post Cor. to Secs 3 & 4 from which
 a Buck 12 in. diam. bears S 25 E 33 links dist &
 a Dr 20 " " " S 62 W 70 " "

T 31 N. R 5 E. 2nd Mer. Indiana

111

Land rolling & rich. Timber. Beech. Poplar. Ash
and Sugar.

North Between Secs 32 & 33.

10 50 A Hickory 10 in. diam.

28 50 Enter Wet Prairie

40. 00 Set a 4th Sec post from which
a Tamarac 4 in. diam. bears N 79 E. 3 links dist. &
a Do 4 " " " S 12 W 12 " "

59 50 Left Prairie

75. 20 A Poplar 28 in. diam.

80 00 Set a Post Corner to Secs 28, 29, 32, & 33 from which
a W Ash 4 in. diam. bears N 17 W. 23 links dist. &
a Do 9 " " " S 15 E. 24 " "

South 1/2 mile is very close Undergrowth resembling the
track of an ancient wind fall. The Prairie is spring-
ing up with a young growth of Tamarac.
There is a Lake East of the 1/2 mile Corner. perhaps
of Middle size. Could not see it sufficiently to
learn its character.

East On Random between Secs 28 & 33.

79. 80 Intersected N & S line 45 links South of the Post
Land rolling & good 2nd rate. Timber. Beech. Ash
Walnut Poplar. Sugar. Elm & Walnut.
But little Undergrowth of any kind

West Corrected between Secs 28 & 33

13. 00 An R. Oak 40 in. diam.

39. 90 Set a 4th Sec post from which
an Elm 12 in. diam. bears N 60 W 23 links dist. &
an Ash 9 " " " S 80 E 30 " "

55 70 A Poplar 40 " "

79 80 To Sec Corner

North Between Secs 28 & 29

T³¹. N. P. 5 E 2nd Mer Indiana

19.24 A W Oak 28 in. diam.
 25.00 Enter Marsh Prairie
 40.00 Set a q^r Sec. post. from which
 a W Oak 15 in. diam. bears S 80 E 3.70 links dist &
 a Do 33 " " " North 13 71 " "
 53.50 Left Prairie
 57.30 A Poplar 24 in. diam.
 80.00 Set a Post Corner to Sec. 20 & 21 28 & 29. from which
 a Beech 11 in. diam. bears N 25 W 16 links dist &
 a Do 9 " " " S 25 E 18 " "
 Land on the South 1/2 mile bet. North 1/2 good.
 Timber. Beech. Sugar. Poplar. Ironwood. Hickory.

East On Random between Sec. 21 & 28.
 79.45 Intersect N & S line 10 links North of the Post.
 Land level. poor. 2nd rate. no change in timber

West Corrected between Sec. 21 & 28.
 18.88 A Beech 10 in. diam.
 39.72 Set a q^r Sec post at area. dist. from which
 an Elm 15 in. diam. bears N 88 W. 25 links dist &
 a W Oak 18 " " " S 58 E. 30 " "
 52.21 An Ash 18 " "
 79.45 To Sec Corner.

North Between Sec. 20 & 21.
 16.10 A Beech 20 in. diam.
 21.50 A Brook 6 links wide. Course N E
 40.00 Set a q^r Section post from which
 a Beech 10 in. diam. bears S 4 W 22 links dist &
 an Ash 22 " " " N 19 E. 32 " "
 55.50 An Ash 20 " "
 70.50 A Brook 30 links wide Course N W
 80.00 Set a Post Cor. to Sec. 16 17. 20 & 21. from which
 an Ash 18 in. diam. bears N 2 W 11 links dist &
 a W Oak 11 " " " S 23 W 15 " "

Land 2nd rate. heavy timber

East On Random between Sec. 16 & 21.
79.81 Intersect N & S. line at Post.
Land & Timber same as last mile

West Corrected between Sec. 16 & 21.
An H Oak 50 in. diam.
39 90⁺ Set a 9th Sec. post at aver. dist. from which
a Buck 20 in. diam. bears S 51 E 9 links dist. 8
a D 10' " " " N. 85 W 31 " "
54 81 An Ash 20 " "
79 81 To Sec. Corner

North Between Sec. 16 & 17.
26.57 An Ash 20 in. diam.
40 07 Set a 9th Sec. post from which a
Buck 15 in. diam. bears N. 78 E 6 links dist. 8
a D 15 " " " N 65 W 7 " "
47 00 A Poplar 30 " "
50 00 Set a Post Corner to Sec. 8, 9, 16 & 17. from which
a Buck 15 in. diam. bears S 17 W 19 links dist. 8
an Ash 12 " " " N 59 E 30 " "
Land good 2nd rate particularly the North half.
Timber same as is invariably found on rich Land
Buck. Sugar, Ash Walnut & Oak,

East On Random between Sec. 9 & 10
79.55 Intersect N & S line 1.40 links North of Post.
Land on the West 1/2 mile good. East 1/2 poor
inclining to be swampy.

West Corrected between Sec. 9 & 10
19 25 A Poplar 30 in. diam.
39.77 Set a 9th Sec. post at aver. dist. from which
an Ash 24 in. diam. bears S 47 W 37 links dist. 8

T. 31. N. R. 5 E 2nd Mer Indiana

Buck 22 in. diam. bears N 78 E 27 links dist.
 59 20 A Sugar 15 " "
 79 55 To Sec. Corner, June 29th 1834.

North Between Sec. 8 & 9.
 22.09 An Elm 20 in. diam.
 40.50 Set a 9th Sec. post from which
 a W. Oak 20 in. diam. bears N 77 W 34 links dist. &
 a Buck 20 " " " S 86 E 10 " "
 60.90 A Buck 14 " "
 80.01 Set a Post Corner to Sec. 4 5 8 & 9. from which
 a Poplar 15 in. diam. bears S 18 W 32 links dist. &
 an Elm 14 " " " N 71 W 10 " "
 Land good & arable. Timber. Buck Ash Poplar.
 Oak. Sugar. Elm. Ironwood. &c.

East On Randem between Sec. 4 & 9.
 79.53 Intersect N & E line 10 links North of the Post.
 Land inclining to Mt. Timber same as last mile.

West Corrected between Sec. 4 & 9.
 19 80 A B Oak 20 in. diam.
 39 70¹/₂ Set a 9th Sec. post at aver. dist. from which
 an W Oak 20 in. diam. bears N 68 W 38 links dist. &
 a Buck 12 " " " S. 31 E. 10 " "
 62.63 A D. 28
 79.55 To Sec. Corner

North Between Sec. 4 & 5.
 33 40 A Buck 12 in. diam.
 40 00 Set a 9th Sec. post from which
 a Buck 28 in. diam. bears N 85 E 15 links dist. &
 a Hickory 10 " " " N. 57 W 10 " "
 65 95 An Elm 28 " "
 86.65 Intersect the North Boundary 214 West of a half
 mile post. Set a Post Corner to Sec. 4 & 5. from which

Maple 20 in. diam. bears S 32 W 10 links dist. & a
 W. Oak 10 " " " S 10 E 9 " "
 Good 2nd rate Land. Timber same as last 6 miles

North Between Secs 31 & 32.

19.75 An Elm 12 in. diam.

40.00 Set a gr. Sec post from which
 an Ash 9 in. diam. bears N 88 E 11 links dist. &
 a Do 12 " " " S 24 W 7 " "

59.15 A W. Oak 14 in. diam.

80.00 Set a Post Corner to Secs 29 30 31 & 32, from which
 a Sugar 10 in. diam. bears N 55 W 21 links dist. &
 a Do 10 " " " S 20 E 26 " "

Land level & inclining to W. especially the North
 half mile. Timber low & scrubby. Perhaps an
 old Windfall.

East On Random between Secs 29 & 32.

80.00 Intersect N & S line 25 links South of the Post
 Land level. West $\frac{1}{2}$ mile swampy. East $\frac{1}{2}$ 2nd rate.

West Connected between Secs 29 & 32.

12.90 A W. Oak 10 in. diam.

40.00 Set a gr. Sec post at aver. dist. from which
 an Elm 9 in. diam. bears S 14 E 150 links dist. &
 a Sugar 10 " " " West 1.70 " "

59.50 An Elm 21 " "

80.00 To Sec Corner.

West On Random between Secs 30 & 31.

62.00 Intersect the West Boundary 95 links South of Post
 Land rolling and rich. Part of it is 1st rate.
 Timber. Buck. Sugar. Poplar. Walnut. Elm. Ash. &c.

East Connected between Secs 30 & 31.

Bearings from the Corner on West Boundary

T 31 N. R. 5 E. 2nd Mer. Indiana

an Ironwood 11 in. diam. bears East 22 links dist &
 a Do 9 " " " N 50 E 39 " "
 11 55 A Poplar 24 " "
 22 00 An Elm 15 " " is Corner to 1/2 Sec.
 53.48 A Sugar 24 " "
 02 00 To the Corner.

North Between Sec. 29 & 30.

25.00 A Walnut 20 in. diam.
 40.00 Set a 1/2 Sec post from which
 a W Oak 15 in. diam. bears N 30 E 7 links dist &
 Hickory 13 " " " S. 19 W 10 " "
 55.50 A W Oak 20 " "
 01 50 A Brook 0 links wide. Course West
 50.00 Set a Post Corner to Sec. 19. 20. 29 & 30. from which
 an Ash 11 in. diam. bears N. 10 W 10 links dist &
 a Do 7 " " " S. 4 W 13 " "
 This post in Millen Swamp.
 Land on the South half mile good. North 1/2 mile
 wet Swamp.

East On Random between Sec. 20 & 29.

79 30 Intersect N & S line 180 links North of the Post.
 Land level. & poor & wet. Thick undergrowth of
 Ironwood. Huckle. Maple. Hickory. Buck. &c.
 Many small Swamps Millen &c.

West Corrected between Sec. 20 & 29.

15 92 A Buck 14 in. diam.
 39 05 Set a 1/2 Sec post. from which
 a Spruce 11 in. diam. bears N 19 W 9 links dist &
 a Do 8 " " " S. 1. W. 31 " "
 53.10 A W Oak 30 in. diam.
 79 30 To the Corner.

West Between Sec. 19 & 30.

- 38.01 A Brook 15 links wide. Course N W.
 57.20 A D. 6 " " " North
 62.70 Intersect N & S line 10 links South of the Post.
 Land & Timber same.

- East Corrected between Sec. 19 & 20.
 Bearings from the Corner on the N. Boundary,
 a Beech 8 in. diam. bears S 68 E 7 links dist. &
 an Ironwood 10 in. " " N 12 E 24 " "
 13.45 An R. Oak 36 " "
 22.70 Set a 2nd Sec. post. from which
 an Elm 12 in. diam. bears N 88 W. 46 links dist. &
 an Ash 18 " " " S 81 E 47 " "
 44.20 An Elm 20 " "
 62.70 To the Corner.

- North Between Sec. 19 & 20.
 23.15 A Sycamore 50 in. diam.
 40.00 Set a 2nd Sec. post. from which
 a W. Oak 50 in. diam. bears S. 40 W. 12 links dist. &
 an Ash 22 " " " N 44 E. 32 " "
 61.30 A Beech 12 " "
 80.00 Set a Post Corner to Sec. 17 18 19 & 20. from which
 a Linn 12 in. diam. bears S 64 E. 9 links dist. &
 an Elm 50 " " " N 64 W. 31 " "
 Land & Timber same as last mile.

- East On Ransom between Sec. 17 & 20.
 78.01 A Brook 30 links wide. Course N W.
 79.50 Intersect the N & S line 122 links South of Post.
 Land 2nd rate Timber as before.
 June 30th. 1834.

- West Corrected between Sec. 17 & 20.
 15.23 A Sycamore 30 in. diam.
 34.75 Set a 2nd Sec. post. from which

T³¹. N. R 5 E 9th Mer. Indiana

Sugar 28 in. diam. bears S 38 W 38 links dist & a
Buck 10 " " " " " " " " " " " "

59.95 A W Oak 18 " "

79.50 To the Corner.

West Between Secs 18 & 19. On Random

26 50 A Brook 12 links wide. Course North.

52 10 Intersect N & S line 150 links South of the Post.
No description of Land.

East Connected between Secs 18 & 19.

Bearings from Corner on West Boundary.

an Ash 20 in. diam. bears S 56 E 30 links dist &
a Buck 10 " " " " " " " " " " " "

22.10 Set a go. Sec post. from which

a Buck 12 in. diam. bears N 72 W 14 links dist &

a Dr. 12 " " " " " " " " " " " "

43 16 A Sugar 12 " "

52 10 To the Corner.

North Between Secs 17 & 18.

14 00 A B Oak 12 in. diam.

40 00 Set a go. Sec post. from which

an Ash 15 in. diam. bears S 17 W 14 links dist &

an Elm 30 " " " " " " " " " " " "

43 00 A Brook 15 links wide. Course N W

53 00 A Dr. 15 " " " " " " " " " " " "

56 50 Dr. 20 " " " " " " " " " " " "

69 80 An B Oak 55 in. diam.

80 00 Set a Post Corner to Secs 7, 8, 17, & 18. from which

an Ash 18 in. diam. bears S 57 E 26 links dist &

a W Oak 18 " " " " " " " " " " " "

Land level & Met The Creek Bottoms are mirey

East On Random between Secs 8 & 17.

80 00 Intersect N & S line 80 links North of the Post.

Land on the West $\frac{1}{2}$ mile inclining to West.
East $\frac{1}{2}$ good Land.

West Corrected between Sec. 8 & 7.
18.00 A Buck 12 in. diam.
40.00 Set a gr. Sec. post from which
a Buck 18 in. diam. bears N 9 E 25 links dist. &
an Ironwood 10 in. " " S 43 E 13 " "
67.00 A Buck 10 " "
80.00 To Sec. Corner.

West Between Sec. 7 & 8 On Randam
58.50 A Brook 140 links wide. Course N W.
61.94 Intersect West Boundary 200 links S. of the Post.
Land & Timber as before.

East Corrected between Sec. 7 & 8
Bearings from Cor on West Boundary
an Elm 24 in. diam. bears N 82 E 27 links dist. &
a Maple 12 " " " S 39 E 28 " "
21.94 Set a gr. Sec. post from which
a Buck 11 in. diam. bears N 2 E 20 links dist. &
a Dr 12 " " " S 19 E 24 " "
45.44 A Sugar 20 " "
51.94 To Sec. Corner

North Between Sec. 7 & 8.
21.30 An B Oak 33 in. diam.
40.00 Set a gr. Sec. post from which
an B Oak 14 in. diam. bears S 26 W 3 links dist. &
a Lynn 10 " " " N. 31 E 25 " "
62.50 A Sugar 24 " "
80.00 Set a Post-Corner to Sec. 5, 6, 7 & 8 from which
a Buck 11 in. diam. bears N 14 W 24 links dist. &
a Dr 14 " " " S 4 W 16 " "
Land level & 2nd rate. Some small basins of water

T31 A. R. 5 E 2nd Mer. Indiana

which have no outlet.

East On Random between Sec. 5 & 8.
80 40 Intersect N & S line 34 links North of the Post.
Land & Timber same as last mile.

West Connected between Sec. 5 & 8.
10.05 A Poplar 24 in. diam.
110 23 At a qz the post from which
a W. Ash 33 in. diam. bears N. 23 W 40 links dist. &
a Do 40 " " " S. 45 E 12 " "
53.90 A Buck 20 " "
80.40 To the Corner

West Between Sec. 6 & 7. On Random.
02 00 Intersect N & S line 2.50 links South of the Post
Land level wet & swampy.

East Connected between Sec. 6 & 7.
Bearings from Corner of Sec. 6 & 7.
A Poplar 11 in. diam. bears S 13 E 33 links dist. &
a Hickory 11 " " " N 8 E 26 " "
22 00 At a qz the post from which
a Buck 22 in. diam. bears S 62 W 10 links dist. &
a Poplar 50 " " " N. 57 E 12 " "
53.80 An Ash 20 " "
62.00 To Sec. Corner.

North Between Sec. 5 & 6.
16.50 A Buck 20 in. diam.
40.00 At a qz the post from which
a Buck 20 in. diam. bears S 17 E 20 links dist. &
a Do 20 " " " N 15 W 37 " "
53.70 A Brook 7 links wide. Course N W.
67.70 An No Oak 50 in. diam.
87.50 Intersect the Connection line 1.00 links East of qz Sec.

Corner, where set a Post. Corner to Sec. 5 & 6. from which
 a Beech 12 in. diam. bears East 21 links dist &
 a Sugar 15 " " " S 26° W 45 " "
 Land rolling rich, heavy timber. Beech. Ash
 Oak. Elm. Lym. &c. Underg. Ironwood.
 Dogwood. Sugar. Water-buck. &c.

July 1st 1834.

There is nothing remarkable to be met with in
 this Township. It may, however, in the
 aggregate, be called a Township of good Land

Meanders of a Lake situated in Sec. 33
 Beginning at the Corner on the line between
 Sec. Townships 30 & 31 on the East side of
 the Lake. Thence in Section 33 along the
 shore of the Lake.

| Courses | Distances | Remarks |
|---------|-----------|---|
| N 45° W | 6.00 | |
| N 87° W | 6.50 | |
| S 33° W | 4.91 | To Corner on Township line West of Lake |

Meanders of a Lake in Sec. 26 & 27
 Beginning at the Corner on the South side of Lake
 on the line between Sec. 26 & 27. Thence
 along the shore of the Lake, in Sec 26.

| | | |
|---------|-------|---|
| N 88° E | 2.00 | |
| N 52° E | 5.50 | |
| N 27° E | 3.00 | At 2.50 an Outlet 50 links wide from C. |
| N 61° W | 16.00 | |
| N 47° W | 5.00 | |
| N 65° W | 11.02 | To Sec line on the North side of Lake, Thence |

| | | |
|---------|-------|--|
| N 63° W | 5.00 | In Section 27 |
| N 80° W | 15.00 | |
| West | 23.00 | At 22.50 an Outlet 30 links wide C. & N. |
| S 51° W | 13.00 | |

T 31 N. R 5 E 2nd Mer Indiana

S 80 W 4.00
 S 40 W 11.50
 S 4 E 10.00
 S 68 E 9.50
 S 62 E 15.00
 East 19.00 At 12.50 an Outlet 10 links wide from S W
 N 72 E 17.00
 N 58 E 7.00 To place of beginning

Meanders of a Lake in Twp 33

Beginning on the Township line East of Lake.

N 45 W 6.00
 N 87 W 0.50
 S 33 W 4.91 To Corner on Township line

Meanders of a Lake in Section 25 T 31 N. R 5 E.

Beginning at a Post on the North side of Lake
on Range Line between Ranges 5 & 6 E.

S 65 W 7.50 Wet Prairie
 S 45 W 12.50 At 11 chains Outlet 12 links wide Course S W
 S 12 E 9.00
 S 35 E 8.00
 S 70 E 7.00
 N 77 E 2.48 To Post on Range line on South side of
 Lake November 18th 1834.

Surveyed by
 John Hendricks
 J. H.

Comp^d

T 31. N. R 5 E. 2nd Mer. Indiana 123

I hereby Certify that in pursuance of a Contract with Mr. T. Williams Surveyor General of the United States, for the State of Ohio Indiana and the Territory of Michigan, bearing date the 27th day of December 1833. and in strict conformity to the Laws of the United States, and the instructions of the said Surveyor General, I have surveyed & subdivided into Sections, Township No. 31. North of Range No 5 East of the 2nd Mer. Indiana and I do further Certify that the foregoing are the true and original field notes of the said survey & subdivisions executed as aforesaid.

Certified this 1st day of July 1834.

William Cash
William Allen } Chairmen

{ John Handrick
Dep^y Surveyor.

T 31 N. R 5 E. 2nd Mer. Indiana.

I Certify that the foregoing transcript of the
Field notes of Township N 31. North of Range N 5
East of the 2nd Mer. Indiana, has been compared
with the original notes in this office, and
found to be correct.

Surveyor General's Office
Cincinnati Jan^y 15th 1843

William Johnston
Sur. Gen^l